



Steel Semi Manure Tanker



Standard Features

- T-Beam/Unibody Frame
- Tank Material - 1/4" Sheet
- Watson Chalin 60k Single Point Suspension / GVWR 80,000 lbs
- Oil Bath Axles / 10-Bolt Hub Pilot
- Aluminum Rear Fenders
- Three Interior Baffles w/ Front Baffle Trap Door
- Fill Hopper - Air Cyl Powered
- 50k Landing Gear
- DOT LED Lights - Flush Mount
- Rear High Discharge
- Swing-Out Fan Housing
- Level Indicator
- Front Access Ladder
- Sandblasted/Primed Inside/Outside with Epoxy Exterior Finish

Specifications

Model	Gallons	Length	Weight	GVWR
ST6500-27	6,500	27'	18,000 lbs	80,000 lbs
ST7250-30	7,250	30'	18,500 lbs	80,000 lbs
ST8000-30	8,000	30'	19,000 lbs	80,000 lbs
ST8000-33	8,000	33'	19,000 lbs	80,000 lbs
ST9000-37* (*3rd axle recommended)	9,000	37'	20,500 lbs	80,000 lbs
Custom Sizes Available				

- Learn more at -
www.DillerAg.com


- OPTIONS -



Hydraulic Nurse Boom



12" Knife Valve



Low Discharge




Lift Axles




Floatation Tires



LED Work Lights



Oscillating Fifth Wheel



In-Tank Agitation Kit



Extra 8' Toolbox



Diller Tankers carry
a 1 year limited warranty.



Diller Ag Equipment is
proudly made in the
United States of America.



Diller Tankers are sold
factory-direct from our location
in St. Thomas, Pennsylvania.

Diller Ag Equipment
a division of Extreme Manufacturing, Inc.
9230 Mountain Brook Rd
St. Thomas, PA 17252

EMAIL
smyers@dillerag.com

PHONE
800-640-4448

WEBSITE
www.DillerAg.com



Aluminum Semi Manure Tanker



Standard Features

- T-Beam/Unibody Frame
- Tank Material - 1/4" Sheet
- Watson Chalin 60k Single Point Suspension / GVWR 80,000 lbs
- Oil Bath Axles / 10-Bolt Hub Pilot
- Aluminum Rear Fenders
- Three Interior Baffles w/ Front Baffle Trap Door
- Fill Hopper
 - Air Cyl Powered
- 50k Landing Gear
- DOT LED Lights
 - Flush Mount
- Rear High Discharge
- Swing-Out Fan Housing
- Level Indicator
- Front Access Ladder

Specifications

Model	Gallons	Length	Weight	GVWR
STAL8000-36	8,000	36'	14,500 lbs	80,000 lbs
STAL9000-40* (*3rd axle recommended)	9,000	40'	16,000 lbs	80,000 lbs

Custom Sizes Available

- Learn more at -
www.DillerAg.com


- OPTIONS -



Hydraulic Nurse Boom



12" Knife Valve



Low Discharge




Lift Axles




Flotation Tires



LED Work Lights



Oscillating Fifth Wheel



In-Tank Agitation Kit



Extra 8' Toolbox



Diller Tankers carry a 1 year limited warranty.



Diller Ag Equipment is proudly made in the United States of America.



Diller Tankers are sold factory-direct from our location in St. Thomas, Pennsylvania.

Diller Ag Equipment
a division of Extreme Manufacturing, Inc.
9230 Mountain Brook Rd
St. Thomas, PA 17252

EMAIL
smyers@dillerag.com

PHONE
800-640-4448

WEBSITE
www.DillerAg.com



Pull-Type Manure Tanker



Standard Features

- T-Beam/Unibody Frame
- Tank Material - 1/4" Sheet
- Watson Chalin 60k Single Point Suspension
- Two Interior Baffles
- Oil Bath Axles / 10-Bolt Hub Pilot
- Open Fill Hopper
- 2-Wheel Hydraulic Brakes
- PTO Fan Drive
- Rear Access Ladder
- Rear High Discharge
- A-Frame Implement Hitch
- 20k Landing Gear Jack
- Stop/Turn/4-Way Lights
- Sandblasted/Primed Inside/Outside with Epoxy Exterior Finish

Specifications

Model	Gallons	Length	Profile
PT3500-15	3,500	15'	200 GPF
PT4000-18	4,000	18'	200 GPF
PT4500-20	4,500	20'	200 GPF
PT5000-22	5,000	22'	200 GPF
PT5500-24	5,500	24'	200 GPF
Custom Sizes Available			

- Learn more at -
www.DillerAg.com

- OPTIONS -



Diller Tankers carry
a 1 year limited warranty.



Diller Ag Equipment is
proudly made in the
United States of America.



Diller Tankers are sold
factory-direct from our location
in St. Thomas, Pennsylvania.

Diller Ag Equipment
a division of Extreme Manufacturing, Inc.
9230 Mountain Brook Rd
St. Thomas, PA 17252

EMAIL
smyers@dillerag.com

PHONE
800-640-4448

WEBSITE
www.DillerAg.com



Truck-Mount Manure Tanker



Standard Features

- Tank Material - 1/4" Sheet
- D/S Access Ladder
- Interior Baffles
- Level Indicator
- Fill Hopper - Air Cylinder Powered
- DOT LED Lights - Flush Mount
- Rear High Discharge
- Aluminum Fenders
- Swing-Out Fan Housing
- Sandblasted/Primed Inside/Outside with Epoxy Exterior Finish
- *Installation and any Truck Components are not Included*


Specifications

Model	Gallons	Length	Profile
TT4000-16	4,000	16'	High 250 GPF
TT4500-18	4,500	18'	High 250 GPF
TT5000-20	5,000	20'	High 250 GPF
TT5000-22	5,000	22.5'	Low 225 GPF
TT5500-22	5,500	22'	High 250 GPF
TT6000-24	6,000	24'	High 250 GPF

Custom Sizes Available

- Learn more at -
www.DillerAg.com

- OPTIONS -



Diller Tankers carry
a 1 year limited warranty.



Diller Ag Equipment is
proudly made in the
United States of America.



Diller Tankers are sold
factory-direct from our location
in St. Thomas, Pennsylvania.

Diller Ag Equipment
a division of Extreme Manufacturing, Inc.
9230 Mountain Brook Rd
St. Thomas, PA 17252

EMAIL
smyers@dillerag.com

PHONE
800-640-4448

WEBSITE
www.DillerAg.com